Network Connect





Clinical practice guidelines

Our clinical and quality programs are

formed from evidence-based preventive and clinical practice guidelines. Louisiana Healthcare Connections adopts guidelines based on the health needs of the membership, and opportunities for improvement identified as part of the Quality Improvement Program. The guidelines are based on valid and reliable clinical evidence formulated by nationally recognized organizations, government institutions, state-wide collaboratives and/or a consensus of healthcare professionals in the applicable field.

Clinical practice guidelines are reviewed annually and updated to reflect the current standard of care. These guidelines are used for preventive services, as well as for the management of chronic diseases. Louisiana Healthcare Connections providers are expected to follow these guidelines and adherence is evaluated at least annually as part of the Quality Improvement Program.

The guidelines:

- Consider the needs of the members
- Are adopted in consultation with network providers
- Are reviewed and updated periodically, as appropriate

Preventive and chronic disease guidelines and recommendations include:

- Adult, adolescent and pediatric preventive care guidelines
- Guidelines for diagnosis and treatment of asthma, ADHD, hypertension, diabetes and major depressive disorder

For the most up-to-date version of preventive and clinical practice guidelines, go to www.LouisianaHealthConnect.com. A copy may be mailed to your office as part of disease management or other QI initiatives. Members also have access to these guidelines.

Network adequacy

Louisiana Healthcare Connections offers a network of primary care providers (PCPs) to ensure every member has access to a medical home within the required travel distance standards. Physicians who may serve as PCPs include internists, pediatricians, obstetrician/gynecologists, family and general practitioners, physician assistants and advanced registered nurse practitioners.

Louisiana Healthcare Connections is committed to providing adequate healthcare services for all of our members and we are required to develop, maintain and monitor the effectiveness of our network. We have achieved network adequacy through our contracted network maintain and monitor our network through tracking methods. Our networking team produces quarterly geographic access reports which are provided to DHH. These reports ensure members have access to a PCP within 10 miles in an urban parish and within 30 miles in a rural parish. DHH also requires 75% of our members have access to a specialist within 60 miles. And to date, we have remained compliant with our contractual requirements regarding provider accessibility and adequacy.



Louisiana Healthcare Connections requires participating practitioners to maintain uniform, organized medical records that contain patient demographics and medical information regarding services rendered to members.

These standards are intended to help providers keep complete files about all our members. They are consistent with state contract requirements and industry standards.

Medical records must be:

- Complete and systematic
- Confidential
- Maintained for a period of time
- Available for audits

Periodically, Louisiana Healthcare Connections will conduct an onsite medical record audit of a random sampling of our members and provider offices to evaluate compliance to these standards.

You may view a complete list of record documentation standards in our provider manual, which is available online at

www.LouisianaHealthConnect.com.

You can impact **HEDIS** scores

Louisiana Healthcare Connections strives

to provide quality healthcare to our members as measured through HEDIS quality metrics.

HEDIS (Healthcare Effectiveness Data and Information Set) is a set of standardized performance measures developed by the National Committee for Quality Assurance (NCQA), which allows direct, objective comparison of quality across health plans. NCQA develops the HEDIS measures through a committee composed of purchasers, consumers, health plans, healthcare providers and policy makers.

HEDIS allows for standardized measurement and reporting and accurate, objective side-by-side comparisons. Learn more at **www.ncqa.org**.

How to improve your scores

To help your practice increase its HEDIS rates, we review key HEDIS measures in each issue of this newsletter. We also offer guidance on how to bill appropriately. Please always follow the state and/or CMS billing guidance and ensure the HEDIS codes are covered prior to submission.

Other ways to help your scores include:

- Submit claim/encounter data for each and every service rendered.
- Ensure chart documentation reflects services billed.
- Bill (or report by encounter submission) for services delivered, regardless of contract status.
- Claim/encounter data is the most clean and efficient way to report HEDIS.
- Do not include services that are not billed or not billed accurately in the calculation.
- Submit accurate and timely claim/encounter data, which will positively reduce the number of medical record reviews required for HEDIS rate calculation.
- Consider including CPT II codes to reduce medical record requests. These codes provide details currently only found in the chart, such as BMI screenings and lab result.

Please take note of the HEDIS measures highlighted on the next page regarding flu, women's health screenings and pharyngitis.

HEDIS measures in summary

FLU:

HEDIS measurements include reviews of childhood immunizations, including for influenza. Data on flu vaccine given to adults 18 to 64 is also reviewed using survey methodology.

Influenza: At least two doses before age 2 CPT: 90655, 90657, 90661, 90662, 90733, 90734

WOMEN'S HEALTH SCREENINGS:

- Chlamydia screening in women measure:
 Evaluates the percentage of women ages
 16 to 24 who are sexually active and who
 had at least one test for chlamydia per year.
 Chlamydia tests can be completed using
 any method, including a urine test. "Sexually
 active" is defined as a woman who has had
 a pregnancy test or testing for any other
 sexually transmitted disease or has been
 prescribed birth control. CPT: 87270, 87320,
 87490-87492, 87810
- Breast cancer screening measure: Evaluates the percentage of women ages 50 to 74 who had a mammogram at least once in the past two years. Women who have had a bilateral mastectomy are exempt from this measure.

 CPT: 77055-77057, G0202, G0204, G0206
- Cervical cancer screening measure:
 Evaluates the percentage of women ages 21
 to 64 who were screened for cervical cancer
 using either of the following criteria: 1) Cervical
 cytology performed every three years for
 women ages 21-64; 2) Cervical cytology/human
 papillomavirus (HPV) co-testing performed
 every five years (must occur within four days
 of each other) for women ages 30-64. Women
 who have had a hysterectomy without a
 residual cervix are exempt from this measure.
 CPT: 88141-88143, 88147, 88148, 88150, 88152,
- Postpartum visits measure: Evaluates the percentage of women who delivered a baby and who had their postpartum visit on or between 21 and 56 days after delivery (three and eight weeks). Any postpartum visit: CPT: 59430

88155, 88164-88167, 88174, 88175

• **Prenatal visits:** Timeliness of first visit and frequency of visits measure: Evaluates the percentage of pregnant women who had their first prenatal visit in the first trimester or within 42 days of enrollment with the plan. Also, the frequency of prenatal visits is assessed. *CPT*: 99201-99205 (TH), 99211-99215 (TH)

PHARYNGITIS & UPPER RESPIRATORY:

- Appropriate testing for children with pharyngitis measure: Evaluates the percentage of children ages 2-18 diagnosed with pharyngitis, dispensed an antibiotic and given a group A streptococcus (strep) test for the episode. A higher rate represents better performance (that is, appropriate testing). Rapid strep tests in the office are acceptable and should be billed. CPT: 87070, 87071, 87081, 87430, 87650-87652, 87880
- Appropriate treatment for children with upper respiratory infection measure: Assesses the percentage of children ages 3 months to 18 years who were given a diagnosis of upper respiratory infection (URI) and were not dispensed an antibiotic prescription. Ensure any secondary diagnoses indicating the need for an antibiotic are submitted on the claim.





What's your availability?

Availability is defined as the extent to which Louisiana Healthcare Connections contracts with the appropriate type and number of practitioners necessary to meet the needs of its members within defined geographic areas. The availability of our network practitioners is key to member care and treatment outcomes.

We evaluate compliance with these standards on an annual basis and will use the results of appointment standards monitoring to ensure adequate appointment availability and reduce unnecessary emergency room utilization.

Have you moved or changed contact information? Or maybe your practice is not listed accurately in our Provider Directory? You can request changes via our secure provider portal at www.LouisianaHealthConnect.com or by calling Louisiana Healthcare Connections. Please let us know at least 30 days before you expect a change to your demographic information.

TYPE OF APPOINTMENT	SCHEDULING TIME FRAME
Routine care (without symptoms)	Within six weeks
Routine care (with symptoms)	Within 72 hours or sooner if medical need deteriorates into an urgent or emergency condition
Emergency care	Immediately upon arriving
Urgent care	Within 24 hours
OB services	Within 42 days
Behavioral health services	Within one month of referral or as clinically indicated



Published by Manifest LLC. © 2015. All rights reserved. No material may be reproduced in whole or in part from this publication without the express written permission of the publisher. Manifest makes no endorsements or warranties regarding any of the products and services included in this publication or its articles.